

Cultural Landscape Activities Rancho Camulos Ventura County 2005

3350 Loma Vista Road Ventura California 93003 phone 805 642 3641 fax 805 642 9614

e-mail: mikeg@jordan-gilbert.com

JORDAN • GILBERT • BAIN LANDSCAPE ARCHITECTS INC.

RANCHO CAMULOS

CULTURAL LANDSCAPE ACTIVITIES FOCUS AREA PLAN EVALUATIONS

RANCHO CAMULOS NATIONAL HISTORIC LANDMARK VENTURA COUNTY, CALIFORNIA

Prepared For:

County of Ventura Watershed Protection District 800 South Victoria Avenue Ventura, California 93006

Prepared By:

Jordan, Gilbert & Bain Landscape Architects, Inc. 3350 Loma Vista Road Ventura, California


And

Pacific Horticulture Consultants 1000 Woodstock Lane Ventura, California 93001

January 2005

Table of Contents

- 1. Map of Study Area
- 2. Report of Findings
 - A. Description of Focus Area
 - B. Resource Review
 - C. Evaluation Methodology
 - D. Planting Findings
 - E. Discussion and Recommendations
 - F. Plant Protection of Preserved Specimens
 - G. Replacement Plantings
- 3. Field Evaluations
- 4. Plant Location & Photographic Location Map
- 5. Photographic Exhibits
- 6. Sign Location plan & Key Map



DRAFT REPORT

RANCHO CAMULOS CULTURAL LANDSCAPE ACTIVITIES

Focus Area Plant Evaluation Report

Introduction

The focus of this study is a horticultural and botanical documentation and evaluation of a portion of the Rancho Camulos historic site. The focus planting area commences on the north surrounding the Nachito del Valley Adobe (Visitor Center) extending south along the old drive ending at the orchard terminus then west to include the plantings surrounding the Winery on the west boundary.

Prior to mapping and evaluating the study area vegetation, a review was completed of the following resources:

- 1. <u>Piru Community Enhancement Plan</u>, Mainstreet Architects & Planners, 1996.
- 2. <u>Rancho Camulos Historical Museum Master Plan</u>, Mainstreet Architects & Planners, Stephanie Diaz, Planning Consultant and Susan Van Atta, ASLA & Associates, 1997.
- 3. Rancho Camulos Cultural Landscape Study, Area 2 Ranch Entrance and Work Area, Historic Resources Group, Inc., 2002.
- 4. <u>Rancho Camulos Technical Report</u>, Historic Resources Group, Inc., 2002.
- 5. <u>Southern California Gardens, an Illustrated History,</u> Victoria Padilla, 1961.
- 6. The California Garden, Jere Stuart French, 1993.

These resources provided a historical perspective of the site and an excellent review of the proposed master plan, which includes the focus portion of this study.

Mapping and evaluation of the study area existing vegetation commenced on December 21, 2004 and was completed on January 5, 2005. Thirty one (31) species were identified, mapped, numbered, photographed and evaluated utilizing the enclosed field evaluation form.

The numbered site map identifies the specie location with the numbers corresponding to the evaluation forms and discussion herein. A photographic depiction and location map are also included as part of this report.

Plant Findings

The following table summarizes the individual plant findings and identifies at the corresponding photographic illustration:

Plant	Botanical	Common P	hotograph	Comments
No.	Name	Name	No.	
1.	Schinus molle	California Pepper	1A-B	West side Winery
2.	Schinus molle	California Pepper	2A-B	West side Winery
3.	Schinus molle	California Pepper	3A-B	West side Winery
4.	Bougainvillea spp.	Bougainvillea	4A	South side Winery
5.	Rose spp.	Rose	4B	East side Winery
6.	Rose spp.	Rose	4B	East side Winery
7.	Euphobia pulcherrima	Poinsettia	4B	East side Winery
8.	Rose spp.	Rose	4B	East side Winery
9.	Hylocercus undatus	Pitahaya Cactus	4C	East side Winery
10.	Rose spp.	Rose	4B	East side Winery
11.	Bougainvillea spectabilis	Bougainvillea	4D	North side Winery
12/13/14	4Calamondin Citrus	Sour-Acid Mandarin	5A	East of Winery
15/16/1	7Calamondin Citrus	Sour-Acid Mandarin	5B	East of Winery
18.	Juglans nigra	Black Walnut	6A	East of Winery
19.	Phoenix canariensis	Canary Island Date Palm	6B	South Boundary
20.	Schinus molle	California Pepper	7A	South Boundary
21.	Eucalyptus sideroxylon	Red Iron Bark Eucalyptus	s 7B	South Boundary
22.	Citrus orchard	Various Citrus	8A-B, 9A-B	Center of Project
22.	Deciduous Fruits	Various Fruit Trees	10A-B	South of Visitor Center
23.	Cupressus sempervirens	Italian Cypress	11A	South of Visitor Center
24.	Syzygium paniculatum	Eugenia	12A	South of Visitor Center
25.	Araucaria heterophylla	Norfolk Island Pine	11B	West of Visitor Center
26.	Jacaranda mimosifolia	Jacaranda	13	West of Visitor Center
27.	Syzygium paniculatum	Eugenia	14A	North of Visitor Center
28.	Juniperus c. Torulosa	Hollywood Juniper	14B	North of Visitor Center
29.	Syagrus romanzoffianum	Queen Palm	15A	North of Visitor Center
30.	Pinus canariensis	Canary Island Pine	15B	NE of Visitor Center
31.	Ficus elastica	Rubber Tree	16A	East of Visitor Center

Survivale marie

Discussion and Recommendations

A total of thirty-one (31) plants were mapped and evaluated. Although several of the species appeared to lack historical or botanical relevance, their on-site existence within the focus area precluded their inclusion for potential future planning analysis.

The Rose species, Bougainvillea and Poinsettia adjacent to the winery appear as relatively new plantings with no site historical significance (No. 4-8 & 10-11). Removal of these plants would not affect the cultural or heritage aspects of preservation planning. It also should be noted that the Eugenia shrubs (No. 24 & 27), Hollywood Juniper (23), Oleander, Eugenia hedge and Ficus (31) surrounding the Nachito vel Valley Adobe (Visitor Center) are either in poor condition or represent plantings since the 1920's historical period. Only the Eugenia hedge and large Eugenia shrub mass Number 24 merit consideration for preservation.

Three (3) of the deciduous fruit trees at the north end of the orchard and the Italian Cypress (No. 23) are recommended for removal due to declining health and poor form. These trees are beyond remediation for potential development into long term desirable specimens.

Climbing the east wall of the Winery is a unique epiphytic cactus, *Hylocereus undatus* (Number 9). Based on the size of this specimen, it appears that this was one of the original ranch plantings. It is indigenous to tropical forest regions of Mexico and Central and South America where natives commonly call it 'Pitaya'. In Asia, it is called the 'Dragon Fruit'. The cactus produces a nocturnal blooming white flower followed with a 4" red oval fruit that is edible and considered to have good flavor and sweetness. The fruit is consumed fresh and has been developed into a commercial crop in many regions of the world.

The Pitahaya cactus is worthy of preservation as part of the original heritage site. Depending on the proposed renovation of the Winery, this plant may require removal but is easily propagated for replanting.

Although the three (3) Schinus molle (California Pepper) numbered 1, 2 and 3 appear relatively healthy all three trees exhibit significant defects. Tree number one has trunk and branch cavities and dieback. Tree number two is a regrowth from a decayed trunk. Tree number three has a major trunk cavity with active decay and exhibits a weak branch structure.

Historic

The three (3) California Pepper would be considered undesirable specimens in a highly utilized public landscape. Tree number 1 and 3 have a high potential for failure based on the evident trunk cavities and decay. Tree number 2 is basically a regrowth from a failed and decayed tree stump and should be removed.

In order to preserve trees numbered 1 and 3, the trees would require considerable pruning to reduce branch and foliage density including significant crown reduction. All of the materials, debris and soil covering the base of the trunks require removal.

I would recommend removal of all three (3) California Pepper specimens.

The citrus orchard (No. 22) contains a mixed assembly of various evergreen fruit types. Trees numbered 12 – 17 are groupings of Calamondin (Sour-Acid Mandarin). These are exhibited in photographs 5A-B. There is one Avocado in the orchard. The remaining trees are orange and grapefruit. Most of the trees appear fairly mature with some new plantings present. Overall, the trees evidence lack of maintenance. Dieback, deadwood and nutrient deficiencies are common throughout the orchard. Photographic exhibits 8A-B and 9A-B illustrate the orchard tree conditions.

In order to preserve the orchard, the weed growth needs to be controlled. The seedling palm and volunteer California Pepper trees require removal. All of the trees are in need of a nutrient fertilization program. Pruning is required throughout to remove the deadwood and shape the trees. The orchard would benefit from installation of a permanent irrigation system. It would be further recommended that the entire orchard ground area be covered with a 4-6" layer of mulch.

Tree Number 18 is a fairly young Black Walnut located east of the winery. This tree is in overall good condition with only winter dormant pruning required. A portion of the root zone is covered with an asphalt driveway. Removal of the asphalt within the canopy drip line and addition of mulch would be of benefit to this specimen.

The Canary Island Date Palm (No. 19) is located on the south perimeter of the study zone. The trunk measures 29" with a height and spread of 45' x 25'. This tree is fairly immature, most likely not more than 20- 25 years old. The palm is in good health and would only require lower dead frond removal for preservation. Should this tree not be acceptable where located, it can be easily transplanted to another location.

Tree Number 20 is a small young seedling *Schinus molle* (California Pepper) located on the south property boundary near the Canary Island Date Palm. The tree is in good condition. This specimen did not exist as part of the original historical development of the property.

Although tree Number 21 is located outside of the study area, a portion of the canopy extends into the southeast corner of the study site. This is a large multi-trunk Red Iron Bark Eucalyptus. The overall tree health is good. The tree would benefit from pruning to shape the canopy and remove deadwood. In addition, the soil and debris covering the base of the trunk should be removed to expose the original root crown flare. There are several large cactus plants that are growing up through the Eucalyptus canopy. These cactus should be transplanted to a more desirable location.

Surrounding the Nachito del Valley Adobe (Visitor Center) are four (4) significant trees of substantial size. These include Number's 25, 26, 29 and 30. All are worthy of preservation.

historio

Tree Number 25 is a 75' tall *Araucaria heterophylla* (Norfolk Island Pine) located in the west side garden area adjacent to the Adobe. Remnants of an old brick walk surround the tree. The tree is in excellent condition and requires no mitigations for preservation.

Tree Number 26 is a Jacaranda specimen located just north of the Norfolk Island Pine. The foliage canopy spreads 48' extending into the Norfolk Island Pine and over the Adobe. A small myrtle bush adjacent to the tree trunk should be removed. The soil and debris covering the base of the trunk requires removal to expose the root flare and original grade. The tree would benefit from removing the trunk sucker growth and deadwood with pruning to shape the overall canopy.

Tree Number 29 is a Queen Palm. The trunk diameter is 15" with a height and spread of 55' x 20'. The west side lacks foliage. The trunk evidences spike marks from previous climbing spurs. This tree is worthy of preservation where located. However, the tree can also be easily transplanted. No mitigations are required.

The largest tree in the study area is a 42" trunk diameter Canary Island Pine located to the northeast side of the Adobe. This is evaluated as tree number 30. The height and canopy spread are 90' x 40'. The tree leans slightly to the east, but appears to be stable. Minor deadwood and twig dieback were observed. This tree requires no mitigations at this time.

Motoric

Plant Protection for Preserved Specimens

All plant species to be preserved and especially those in construction and or renovation zones should adhere to the following protection guidelines:

- 1. Fencing shall be required five (5) feet outside of the tree drip line to establish a protective zone surrounding the plant. A minimum five foot high chain link fence with posts every 8' is required prior to commencing any grading or construction. The fence shall remain during all phases of construction and shall not be moved or removed without the written authorization of the administrative agency responsible for the project work.
- 2. All work within the protected zone of any plant shall require an encroachment permit. All approved work shall be under the direct onsite observation of the client's landscape architect or horticulture consultant and shall be certified to the administrative agency within five working days of completion of said work.
- 3. All excavations within the protected zone of any plant shall be accomplished by hand tools under the direct on-site observation of a Certified Arborist. If any roots are encountered, they shall be saved and covered with a minimum of 6" clean washed sand. Those roots to be severed shall be clean cut with pruning tools to the edge of the excavation.
- 4. No materials may be nailed or staked to any preserved plant. No materials or equipment may be stored at any time within the protected zone of any plant. No parking shall be allowed adjacent or under any preserved plant.
- 5. During all phases of construction, the health of the plants shall be monitored and maintained as required.
- 6. All pruning, other than dead wood removal shall be conducted by a professional arborist under the direct observation of the clients Certified Arborist.

Replacement Plantings

The historical period of significance for this project is from 1853 to 1943. Based on a literature review of plants utilized during this early California period, the following horticulture species are identified as appropriate for the site.

Ornamental Trees

Botanical Name	Common Name	Botanical Name	Common Name
Ceratonia siliqua	Carob Tree	Populus nigra "Italica'	Poplar
Cupressus sempervirens	Italian Cypress	Prunus ilicifolia	Hollyleaf Cherry
Eucalyptus species	Eucalyptus	Prunus Iyonii	Catalina Cherry
Ficus species	Ficus	Quercus agrifolia	Coast Live Oak
Jacaranda mimosifolia	Jacaranda	Quercus suber	Cork Oak
Phoenix dactylifera	Date Palm	Schinus molle	Ca. Pepper
Pinus pinea	Italian Stone Pine	Schinus terebinthifolius	Brazilian Pepper
Pinus radiata	Monterey Pine	Washingtonia filifera	Ca. Fan Palm
Pistacia chinensis	Pistache	Washingtonia robusta	Mexican Fan Palm
Platanus racemosa	Ca. Sycamore	Umbellularia californica	Ca. Bay

Fruit Producing Trees

Botanical Name	Common Name	Botanical Name	Common Name
Citrus species	Orange, Lemon, Lime Grapefruit	Olea europaea	Olive
Deciduous Fruits	Apple, Apricot, Almond, Fig, Peach, Pear, Plum, Walnut	Psidium species	Guava
Eriobotrya japonica Feijoa sellowiana	Loquat Pineapple Guava	Punica granatum Ziziphus jujube	Pomegrante Jujube

Shrubs

Botanical Name	Common Name	Botanical Name	Common Name
Agave Americana	Century Plant	Lavatera maritima	Tree Mallow
Brugmansia x candida	Angel's Trumpet	Musa spp.	Banana
Brugmansia x insignis	Angel's Trumpet	Nerium Oleander	Oleander
Canna generalis	Canna Lily	Opuntia tuna	Prickly Pear Cactus
Heteromeles arbutifolia	Toyon	Rosa spp.	Rose
Juniperus spp.	Juniper	Vitus spp.	Grape

The replacement and/or addition of plantings should be implemented under the guidance of a detailed cultural landscape plan as described in the *Rancho Camulos Historic Museum Master Plan* prepared in 1997, pages 75 – 79.

Remnants of a formal garden exist about the Nachito del Valle Adobe, which are proposed for restoration including enhancement to represent a typical garden of the 1920's. The orchard area will be utilized, in part, for parking keeping the perimeter trees as a visual screen for the vehicles. Consideration may be given to developing a demonstration orchard with a variety of citrus trees in this area.

HORTICULTURE TREE EVALUATION FIELD SURVEY

PROJECT: RANCHO CAMULOS DATE: 12-21-04

LOCATION: PIRU, CALIFORNIA

CLIENT: JORDAN, GILBERT & BAIN - Mike Gilbert

ADDRESS: 3350 LOMA VISTA ROAD

VENTURA, CALIFORNIA (805) 642-3641

od 4


PAGE

SPECIMEN DATA	TREE HEIGHT CANOPY SPREAD LEANING LOW BRANCHES TERRAIN Flat-Slope CROWDED Damaged Roots Exposed Roots	53° 65' 45'	2	7 45" 20' 15'	9	3 1 56" 50' 44"	7	4 nulti lancs 121 211	1	E	1213	anies		7 ANH; 21 B:		8 Multi Dried 51 71		9 14/1/1 10/1/2 18/	PLOCERCIUS UNDATUS
-	Girdled Roots Covered Soil / Debris Trunk Damage Buried Trunk Cavity Exudations	XXXXX	SPECIES: 5	XXX	SPECIES	XXXX	SPECIES		SHOHAS		SPECIES		SPECIES		SPECIES		SPECIES		SPECIES //
OBSERVATIONS	Disease/Insects Weak Structure Branch Cavibes Weak Crotches Twig-Branch Dieback Sperse Foliage Chlorotic	X	5.		nollow & decayed	X X X									7A5E				
PHYSICAL O	Wilt Abnormal foliage Deadwood Insects-Mites Present Disease Present Stress	X	branch CUVINO		Thunk hol	X X	\$ Cavity	X	<i>)</i>						ROWING AT B.	X		X	
TING	Poor Form Obstructions POTENTIAL HAZARD Dead Tree VIGOR 1 - 5	(X) 2	FICAN TRUNKS &		Stano Dito Aces		R TRUMK DECAY	2		3		2		2	SHRUB GK	3		3 3	
MITIGATIONS RATI	HEALTH 1 - 5 AESTHETICS 1 - 5 REMOVE TREE PRUNE DEADWOOD WATER-HERTLIZE	4 2 X	MENTS: SIGNIFIC	4	1	12	MANUS MAJOR		MTS	2 3 X	MENTS	1 1 1	NTS	3 X	MISS	3 3 7	NTS:	3	STIS:
METTIG.	INSECT-DISEASE TREAT REMOVE BASAL SOIL/DEBRIS OTHER	X	8		COMMENTS	区	S		COMMENTS		8		COMMENTS		COMMENTS		COMMENTS		COMMENTS

Measured Canopy Spreads on Back →

HORTICULTURE TREE EVALUATION FIELD SURVEY DRIP LINE AND CANOPY TO GRADE MEASUREMENTS

LEGEND




Tree Number

Drip Line Measurement

Canopy to Grade Location/Measurement



6




[7]



3 n' 15' 15' 15' 12' 18' 22'

8



4

9



5



LORGINAL CALLEY AND

HORTICULTURE TREE EVALUATION FIELD SURVEY

PROJECT: RANCHO CAMULOS DATE: 12-21-04

LOCATION: PIRU, CALIFORNIA

CLIENT: JORDAN, GILBERT & BAIN - Mike Gilbert

ADDRESS: 3350 LOMA VISTA ROAD

VENTURA, CALIFORNIA (805) 642-3641


PAGE 2

<	TREE NUMBER	10		1.1	- u	12		12		LIVE	n .	10							
DATA	No TRUNKS	Multi		Multi	7.6	4		3.		3		17		3	-	17		18	
	TRUNK DIAMETER	Valicy	y	Va Rice	4	Verie	Z	Ab Ries	Ž	14.000	2	Varies	Z	Vieig	Z	Varies	3	1	
<u> </u>	TREE HEIGHT	A		201	Spectabil	23'	a	191	2	Varies 121	0	O A I	MC	23	2		13	25"	1 2 1
7 5	CANOPY SPREAD	51		211	3	221	5	181 201	ALAMONDIN	16	CALAMONDIN	20 1	CALAMONDIN	171	AMOUDIN	201	MOVOUN	351 401	0
	LEANING	3	9		pa	K.F.	3	-	A	10	5	4	4	1.7	1	15'	E	40	Nigha
. Ж	LOW BRANCHES		2	-			3				4	4	4		17	-	र		3
S	TERRAIN Flat-Slope	K	50e	E	12	F	ह	E	7	F	2	K)-	F	10	F	0	F	1 1
	CROWDED		بو	上	3	1	1 4	V	1	X	44	1	115	¥	1	15	5	1 1	Z
	Demaged Roots		000		SOUGAIN UIL		で到る	-	TRUS	-	Tav		TRM		1 X	~	喜	-	ublans
	Exposed Roots	120	W.		13		15	-	10		2		5		JE S	7	1		46
	Girdled Roots				133		12		O		O		9		0		10	- 0	7
	Covered Soil / Debris	Ť		-	1	X	1	X		V		X		V	1	V	1	X	
	Trunk Demage		3	_	24	/	8	1	B	父	B	(X)	B	~	is	1	123	-	123
	Buried		SPECIES	-	SPECIES	X	SPECIES	1X	SPECIES	X	SPECIES	X	SPECIES	V	SPECIES	X	SPECIES	\vdash	SPECIES
	Trunk Cavity		M		M		M	7	M	1	M	<u>~</u>	Ä	_	M	-	1 W		英
	Exudations		S.		ि		S		SQ.		S		S		100	-	ळ		क
2	Disease/insects						//		-	12		-	~		-		-		
Q.	Weak Structure				1		4/4		10		= 4		N.h		-	-	1		3
A	Branch Cavibes				1		5,		4		44		10	<u> </u>	8	-	2		driveway
≳	Week Crotches						-		3,	_	,		17		17	-	10		B
t	Twig-Branch Dieback		1			X	= -	X	3/2	V	1,	X	8 13	×	4.7	X	.3		1
OBSERVATIONS	Sperse Foliage						3	\frac{1}{\frac{1}{2}}		Ŷ	R	V		V	1	1	7	M	25pho17
- 5	Chlorotic						5	1	deh	<u> </u>	der	_	dbh	A	19	X.	197		75
7	Wat				1.		0		O		4	5	٦	-	0		V		7
ੁ	Abnormal lollage		190												1	-	١.		
PHYSICAL	Deedwood			X		X		X		X		X		X	1	X		X	E
Ŧ	Insects-Mides Present											-/->	. 1	-	1	<u> </u>			3
П.	Disease Present									× .	1				1		1	XX	F<
	Stress			i i					~ .	1					1		1	1	360
	Poor Form					X		X		X		X		又	1	X			COVERE
	Obstructions							,				1					1		3
	POTENTIAL HAZARD		* 6									1				47	1		اندا
	Dead Tree										1			-	1				1242
TING	VIGOR 1-5	2		2		3		3		3	1	3		3		3		2	40
Ę	HEALTH 1-5	2		a		3		3		1		3		3	1	2	1	3	7
2	AESIHERCS 1-5	2		2		1		1	-	2		3		2		2	1	2	
83	REMOVE TREE											A				-	1		
3	PRUNE	X		X		X		X		X		X		X		4	1		23
X	DEADWOOD		33		B	X	23	1	23	X	23	X	3	V	13	1	13	A	3
≤	WATERHERILIZE		MENTS		İË	X	5	Q.	Ę	V	GNTS	X	MENTS	5	MENTS	1	12	X	Z
2	INSECT-DISEASE TREAT		Q i		0		3	1	9		9	-	3		19	1	19	-	3
MITTERATIONS	REMOVE BASAL SOLDEBRIS		8		COMMENTS	X	COMMENTS	N	COMMENTS	X	CO	V		V	8	J	COMMENTS	X	COMMENTS
4	OTHER		18		18		וצו	/	8		18	-0	8	1	18	7	18	H	8

Measured Canopy Spreads on Back →

HORTICULTURE TREE EVALUATION-FIELD SURVEY DRIP LINE AND CANOPY TO GRADE MEASUREMENTS

LEGEND



Drip Line Measurement

Canopy to Grade Location/Measurement

10

11

HORTICULTURE TREE EVALUATION FIELD SURVEY

PROJECT: RANCHO CAMULOS DATE: 12-21-04

LOCATION: PIRU, CALIFORNIA

CLIENT: JORDAN, GILBERT & BAIN - Mike Gilbert

ADDRESS: 3350 LOMA VISTA ROAD

VENTURA, CALIFORNIA (805) 642-3641

3


PAGE


SPECIMEN DATA	No TRUNKS TRUNK DIAMETER TREE HEIGHT CANOPY SPREAD LEANING LOW BRANCHES TERRAIN Flat-Slope CROWDED Demaged Roots Exposed Roots Girdled Roots Covered Soil / Debris	19 129" 45' 25'	Phoenix carbaicasis	2 2 2,44 110' 21'	Schinus molle	21 3 balley 35' 39'	EUCALYPTUS	22 14 mics a Alics 0-101 - 201	ORCHARD TREES	23 52" 15' 12' F	CUPRESSUS SEMPRIUM	2 Y 12 13 17 17 17 17 17 17 17	SYZYGIUM PAN	25 125" 15' 30'		ARRUCARIA he	ARMUCHRIP he	APANICHRIPA A ACCORPANDA
OBSERVATIONS	Trunk Damage Buried Trunk Cavity Exudations Disease/Insects Weak Structure Branch Cavities Weak Crotches Twig-Branch Dieback		SPECES:	<i>X</i>	SPECIES	X	9", 28", 20" SPECIES		417 Mers SPECIES	X	OFF SPECIES		SPECIES	×		SPECIES	SAECE:	SPECES. It it law SPECES.
PHYSICAL OBS	Sperse Foliage Chlorotic Writ Abnormal foliage Deadwood Insects-Mites Present Disease Present Stress Poor Form	X				X	doh: 1		VOCADO, 4 DEC. PR	X	CAY. TRUNKS CAT		LAZOE SHRIB	 			X	CAR GROWTH. MYR
NKS PATING	Obstructions POTENTIAL HAZARD Dead Tree VIGOR 1 - 5 HEALTH 1 - 5 AESTHETICS 1 - 5 REMOVE TREE PRUNE	2 2 2 2 X		2 2 2		1 2 2	CROWDED WITH CACTUS	3	38 CITAUS, 1 A	4	CONTROL DE	2 2 2 2	W/	2 2 2	_		1 2	\$ \\ \times \\ \\ \times \
MITHEATHONS	DEADWOOD WATER-HERTILIZE INSECT-DISEASE TREAT REMOVE BASAL SOILD DEBRIS OTHER	<i>y</i>	COMMENTS		COMMENTS	X			COMMENTS		COMMENTS		COMMENTS			COMMENTS:	SCHARACT	SOMMENTS


Measured Canopy Spreads on Back →


HORTICULTURE TREE EVALUATION FIELD SURVEY DRIP LINE AND CANOPY TO GRADE MEASUREMENTS


LEGEND

















HORTICULTURE TREE EVALUATION FIELD SURVEY

PROJECT: RANCHO CAMULOS DATE: 12-21-04

LOCATION: PIRU, CALIFORNIA

CLIENT: JORDAN, GILBERT & BAIN - Mike Gilbert

ADDRESS: 3350 LOMA VISTA ROAD

VENTURA, CALIFORNIA (805) 642-3641


PAGE 4


SPECIMEND	No TRUNKS TRUNK DIAMETER	28	1	-		30												
SPECIMEN	IRUNK DIAMETER				3	I	14	31				1			*	1		
SPECIA		3".6"	#	154	j.	421	_	511	1			1						A 1
33 88 -	TREE HEIGHT	201	IV	551	#	901	115	181	1169			1			3.		7.7	
88	CANOPY SPREAD	16	21	201	20	30 1 424 901 401	X10	201	121		-	1		-3,		1		
1	LEANING		0			-	A X	-	9			1						1
	LOW BRANCHES		6		ma		5		3			1				1		
	TERRAIN Flat-Slope	F	5	F	2	F	2	E	2			1 1	-		7			
	CROWDED		ES.	-	8		2	_	20		-	1	7			1		1.1
	Demaged Roots		3		3		.33		17			1			1.0		-	
	Exposed Roots		MIN		246RUS		12		12								7	
1	Girdled Roots	77.5	3		4		-				1	1			V ₃ ,	1		
	Covered Soil / Debris	X	1			1 1	1	V								1	7.7.	0.00
	Trunk Damage	/	13	X	23	-	8	1	13	4	1	100	-	11	-	10	4 1	15
	Buried	X	SPECIES	1	SPECIES	_	{ 	1	SPECIES		-	SPECIES		SPECIES		SPECIES		SPECIES
	Trunk Cavity	1	M	7.	M		SPEC	~	M	H	-	ĮM		M.		TW		ĬΫ
. [Exudations		ठ	-	क		S.	X	8	0		S		क	- 31.2	क		क
3	Disease/insects		-		7	-		<i>-/</i> `		-		+	-			-		-
Σ	Week Structure		1				1		2		-	1	-					
15	Branch Cavibes		1		1	-	1		de		-	1	- 3			- 1		
3	Week Crotches		1		1	-	1		eend		-	1	-		-	1	-	
OBSERVATIONS	Twig-Branch Dieback		1		W	X	1	-	201		-	1			-	-		
	Sparse Foliage	X	0	_	a.	-2	1		1		-	1				{ }		i, v
1 8 F	Chlorotic	1	1		301		1		è		-	1				1		
	Wit		10		10		1		2		-	-						
3 [Abnormal toliage		77		RPE	-	1		3	-	-	1						
	Deadwood		3	X	Ta	X			301		- 7	1				1		
Ē	Insects-Mides Present		a	1	1	1	1	-	2		-					1		1
-	Disease Present		10		p		1		-		300	1				1		× *
	Stress		1, `		10				6		-	1		- 4	_	1		
	Poor Form	X	1	1.7	E		1				-	1				1		
	Obstructions	1	B	-	DAMA		1		之		-		-			1 1		
	POTENTIAL HAZARD		AC		1 .				3		-	20						
	Dead Tree	125 5 5	13		Kunk		1	—	17		-	1	10.0		7 mg	1	-	
Q	VIGOR 1-5	2	12	2	反	1		2	Q D		-	┨	/			-		
ATTNG	HEALTH 1-6	2	1	1	`	1	1	3	-		-	-		1				
₹ 1	AESTHETICS 1-5	3	1	1		1	1	2			-	4					-	
7.	REMOVE TREE	-	1	 				4			-	1			<u> </u>			
2	PRUNE		1	-			1	7 1			-	1			-	1		
	DEADWOOD		72	Y.	1	X	22		,,	,,	-	12		12		1,1		12
7	WATERFERILIZE	-	COMMENTS	/	COMMENTS		MENTS		COMMENTS		-	COMMENTS		COMMENTS		MENTS		COMMENTS
D D	INSECT-DISEASE TREAT		10	-	6		10	-	6	<u> </u>	-	10		Ø	-	0		0
	REMOVE BASAL SOIL DEBRIS	V	∤ ∄ ï		3		3		3		_	13		3	-			\$
3	OTHER	1	18	-	R		8	_	R	- R	-	18		8	·	8		8


Measured Canopy Spreads on Back →


HORTICULTURE TREE EVALUATION FIELD SURVEY DRIP LINE AND CANOPY TO GRADE MEASUREMENTS


LEGEND






























1A – Schinus molle No. 1



1B – Basal Cavity No. 1

12-21-04

Date:


Project: RANCHO CAMULOS

Subject: **EXISTING PLANTINGS**

By: D. F. Rodrigues

Exhibit No.:

1






2A – Schinus molle No. 2 2B - Decayed trunk No. 2


Project: RANCHO CAMULOS

Subject: **EXISTING PLANTINGS**

12-21-04 By: D. F. Rodrigues Date:



3A – Schinus molle No. 3



3B - Trunk cavity No. 3

Project: RANCHO CAMULOS

Subject: **EXISTING PLANTINGS**

12-21-04 By: D. F. Rodrigues Exhibit No.: 3

Date:

PACIFIC HORTICULTURE CONSULTANTS




4A – Bougainvillea

4C - Cactus >



4D – Bougainvillea




4B – Roses & Poinsettia


FIELD PHOTO REPORT

Project: RANCHO CAMULOS

Subject: EXISTING PLANTINGS
Date: 12-21-04 By:

By: D. F. Rodrigues





5A – Calamondin Citrus No. 12, 13, 14 5B – Calamondin Citrus No. 15, 16, 17

Date:


Project: RANCHO CAMULOS

Subject: **EXISTING PLANTINGS**

By: D. F. Rodrigues 12-21-04



6A – Juglans nigra No. 18



6B – Phoenix canariensis No. 19

Project: RANCHO CAMULOS

Subject: EXISTING PLANTINGS Exhibit No.: 6

Date: 12-21-04 By: D. F. Rodrigues



7A – Schinus molle No. 20



7B – Eucalyptus sideroxylon No. 21

Project: RANCHO CAMULOS

Subject: **EXISTING PLANTINGS**

Date: 12-21-04 By: D. F. Rodrigues

PACIFIC HORTICULTURE CONSULTANTS



8A - Orchard



8B - Orchard

Exhibit No.:

FIELD PHOTO REPORT

Project: RANCHO CAMULOS


Subject: EXISTING PLANTINGS
Date: 12-21-04 By:

By: D. F. Rodrigues

PACIFIC HORTICULTURE CONSULTANTS



9A - Orchard




9B - Orchard

FIELD PHOTO REPORT


Project: RANCHO CAMULOS

Subject: **EXISTING PLANTINGS**

Date: 12-21-04 By: D. F. Rodrigues



10A – Deciduous Fruit Tree



10B – Deciduous Fruit Tree


12-21-04

Date:

Project: RANCHO CAMULOS

Subject: **EXISTING PLANTINGS**

By: D. F. Rodrigues



11A – Italian Cypress No. 23 11B – Norfolk Isl. Pine No. 25

Project: RANCHO CAMULOS

Subject: **EXISTING PLANTINGS**


By: D. F. Rodrigues

Exhibit No.: 11

Date:

12-21-04

PACIFIC HORTICULTURE CONSULTANTS



12A - Eugenia Shrub No. 24




12B – Eugenia Hedge

FIELD PHOTO REPORT

Project: RANCHO CAMULOS

Subject: **EXISTING PLANTINGS**

Date: 12-21-04 By: D. F. Rodrigues



Jacaranda No. 26


Exhibit No.: 13

FIELD PHOTO REPORT

Project: RANCHO CAMULOS

Subject: EXISTING PLANTINGS

Date: 12-21-04 By: D. F. Rodrigues



14A – Syzygium No. 27



14B – Juniper torulosa No. 28

Project: RANCHO CAMULOS

Subject: EXISTING PLANTINGS Exhibit No.: 14

Date: 12-21-04 By: D. F. Rodrigues





15A- Queen Palm No. 29 (Canary Island Pine No. 30 in background)

15B - Canary Island Pine No. 30 (Queen Palm No. 29 on Right, Araucaria No. 25 in background)

Project: RANCHO CAMULOS

Subject: **EXISTING PLANTINGS**

Date: 12-21-04 By: D. F. Rodrigues

PACIFIC HORTICULTURE CONSULTANTS



16A – Ficus elastica No. 31



16B – View of Queen Palm No. 29
(Jacaranda & Coast Live Oak in Background, Pittosporum hedge on right)

FIELD PHOTO REPORT

Project: RANCHO CAMULOS

Subject: **EXISTING PLANTINGS**

Date: 12-21-04 By: D. F. Rodrigues

PART 7 – LANDSCAPE

INDEX

LANDSCAPE	3
7.1 LANDSCAPE PLANTING PLAN	3
7.2 TREES, SHRUBS, AND GROUND COVER	
7.2.1 Quality	
7.2.1.1 Shade and Specimen Trees.	
7.2.1.2 Single Stem	
7.2.1.3 Multi-Stem	
7.2.1.4 Specimen	
7.2.1.5 Deciduous Shrub	
7.2.1.6 Coniferous Evergreen	5
7.2.1.7 Broadleaf Evergreen	5
7.2.1.8 Ground Cover	
7.3 Measurement	5
7.4 Installation	5
7.5 PRUNING	
7.6 MAINTENANCE DURING PLANTING OPERATION	
7.6.1 Maintenance During Establishment Period	
7.6.2 Unhealthy Plant	
7.6.3 Warranty	
7.7 TURF	
7.7.1 Soil Preparation	
7.7.2 Seeding and Sodding	
7.7.2.1 Seeding	0
7.7.5 Protection	
7.7.6 Turf Establishment Period	
7.7.7 Satisfactory Stand of Turf	
7.7.7.1 Seeded Lawn Area	
7.7.7.2 Seeded Field Area	
7.7.7.3 Sodded Area	
7.7.7.4 Sprigged Area	
7.8 EDGING	
7.9 IRRIGATION	, 8

This page left blank intentionally.

LANDSCAPE

7.1 LANDSCAPE PLANTING PLAN

The Contractor shall obtain and use the services of a qualified landscape architect, experienced in site planning and planting design. A complete, integrated landscape-planting plan shall be provided for the overall Phase IV housing project and the overall Phase V housing project including the Phase 5-a area. The design shall reflect appropriate groupings, foundation plantings, and street tree plantings to define the open spaces to ensure a complete landscaped project. The contractor is encouraged to retain as many healthy existing trees as possible, especially in common areas and greenbelts. Existing trees may be substituted for new trees on a one for one basis. Foundation plantings shall be provided in continuously mulched beds. Design shall provide for a minimum of 50 square feet of open bed area in front of family units for seasonal flowers by tenant. Screening of mechanical equipment and transformers for housing units shall be accomplished with landscaping and will be in accordance with Architectural and Landscape Guidelines for Dyess Air force Base, December 2003 (See Appendix 4). Planting or seeding shall occur only during periods when beneficial results can be obtained. The Contractor shall be responsible for total care of turf and plant materials for a period of 1 year after turfing and landscaping operations under this Contract are complete or after all work under this entire Contract has been completed and accepted, whichever period is longer.

Design for the Landscape Areas as noted in the Phase Va plans shall provide for screening of the drainage channel to the south and east by providing an aesthetically arranged grouping of Shade Trees, Specimen Trees, and Shrubs and Groundcovers. Plantings shall be arranged with at least 75% of the Shade Trees closest to the drainage area, and 75% of the ground cover closest to the housing units. Specimen Trees and Shrubs shall be arranged between and mixed in with the Shade Trees and Groundcovers. The bed line on all sides of the Landscape area shall meander so that artificially straight lines shall not occur except as desired for aesthetic purposes. The design intent for the Landscape area is that it shall appear to be a natural arrangement of plantings that provides a visual screen between the Phase 5a housing and the drainage channel.

Planting or seeding shall occur only during periods when beneficial results can be obtained. The Contractor shall be responsible for total care of turf and plant materials for a period of 1 year after turfing and landscaping operations under this Contract are complete or after all work under this entire Contract has been completed and accepted, whichever period is longer. Abilene has had drought conditions in recent years, and it is likely that there will be watering restrictions in effect during the construction period that could be a factor in establishing landscaping.

7.2 TREES, SHRUBS, AND GROUND COVER

Plant varieties shall be nursery grown or plantation grown stock conforming to ANSI Z60.1. They shall be grown under climatic conditions similar to those in the locality of the project. Plant material used for this project shall be in accordance with materials specified in the approved Xeroscape List provided in Appendix 10.

Table 7-1
Minimum Landscaping per Housing Unit

Plant Material	Number of Plants	Size of Plants
Shade Trees	1 ea.	2" Cal., 12' to 14' high
Specimen Trees	1 ea.	2" Cal., 8' to 10' high, 4'-5' wide
Shrubs-Standard	_*	5 gallon
Shrubs-Dwarf	_*	5 gallon

In addition to the minimum requirements set forth above for the housing units, additional landscaping is desired in the new common areas. Unless noted otherwise, the minimum landscaping requirement for all common areas is grass ground cover. See PART 4 of Section 01000 for requirements.

Table 7-2
Minimum Landscaping in Landscape for Phase Va

Plant Material	Number of Plants	Size of plants
Shade Trees	1 per 6000 s.f. grouped for aesthetic appeal	2" cal. 12'-14' high
Specimen Trees	1 per 4500 s.f. grouped for aesthetic appeal	8'-10' high, 4'-5' wide
Shrubs - standard	10 per 5000 s.f. planted in masses at key points	10 gal.
Shrubs - dwarf	1 per 750 s.f. planted in masses at key points	5 gal.
Ground cover	Install grass sod or seed in all areas between street or housing and Drainage Channel	and year often foot

7.2.1 QUALITY

Well-shaped, well-grown, vigorous, healthy plants having healthy and well-branched root systems shall be provided. Plants shall be free from disease, harmful insects and insect eggs, sun-scald injury, disfigurement, and abrasion. Plants shall be provided that are typical of the species or variety, and conforming to standards as set forth in ANSI Z60.1. Plants shall be balledand burlapped or container grown.

7.2.1.1 Shade and Specimen Trees

A height relationship to caliper shall be provided as recommended by ANSI Z60.1. Height of branching should bear a relationship to the size and variety of tree specified, and with the crown in good balance with the trunk. Trees shall not be topped, "poled", or the leader removed.

7.2.1.2 Single Stem

Trunk shall be reasonably straight and symmetrical with crown and have a persistent main leader.

7.2.1.3 Multi-Stem

All countable stems, in aggregate, shall average the size specified. To be considered a stem, there should be no division of the trunk which branches more than 6 inches from the ground level.

7.6 MAINTENANCE DURING PLANTING OPERATION

Installed plants shall be maintained in a healthy growing condition. Maintenance operations shall begin immediately after each plant is installed and shall continue until the plant establishment period commences. On completion of the last day of the planting operation, the plant establishment period for maintaining installed plants in a healthy growing condition shall commence and shall be in effect for the remaining contract time period not to exceed 12 months. When the planting operation extends over more than one season or there is a variance to the planting times, the plant establishment periods shall be established for the work completed.

7.6.1 MAINTENANCE DURING ESTABLISHMENT PERIOD

The maintenance of plants shall include periodically straightening plants, tightening stakes and guying material, repairing tree wrap, protecting plant areas from erosion, maintaining erosion material, supplementing mulch, accomplishing wound dressing, removing dead or broken tip growth by pruning, maintaining edging of beds, checking for girdling of plants and maintaining plant labels, watering, weeding, removing and replacing unhealthy plants.

7.6.2 UNHEALTHY PLANT

A plant shall be considered unhealthy or dead when the main leader has died back, or 25 percent of the crown is dead. Determine the cause for an unhealthy plant. Unhealthy or dead plants shall be removed immediately and shall be replaced as soon as seasonal conditions permit in accordance with the following warranty paragraph.

7.6.3 WARRANTY

All plant materials of the landscape plan in this project shall be warranted for one year after final acceptance of the entire project. Transplanting existing plants, for the convenience of the Government, requires no guarantee.

7.7 TURF

7.7.1 SOIL PREPARATION

Prior to seeding or sodding, all surface soils shall be loosened to a minimum depth of 6 inches and broken up to a fine, workable texture suitable for seeding and sodding. Areas within the limits of seeding and sodding shall have a 1-inch layer of approved compost worked into the top 3 inches of soil.

7.7.2 SEEDING AND SODDING

7.7.2.1 Seeding

Basic requirement is to seed all disturbed areas. All newly seeded areas shall be fertilized with no less than 200 lbs of 18-46-0 fertilizers per acre. All seeded areas shall be seeded by hydromulching techniques using 2000 lbs of green-tinted, wood-fiber hydromulch per acre. Seed shall be hydromulched at 3.0 pounds per 1,000 square feet. State approved seed of the latest season's crop shall be provided in the original sealed packages bearing the producer's guaranteed analysis for percentages of mixture, purity, germination, hard seed, weed seed content, and inert material. Labels shall be in conformance with applicable State seed laws. Seed mixtures shall be proportioned by weight. Weed seed shall not exceed one percent by weight of the total mixture. Moldy, or otherwise damaged seed shall be rejected. Seed mixing shall be performed by a seed supplier prior to delivery to the site.

7.7.7.4 Sprigged Area


A satisfactory stand of turf from the sprigging operation is defined as a minimum of 2 sprigs per square foot. Bare spots shall be no larger than 9-inch square. The total bare spots shall not exceed 2 percent of the total sprigged area.

7.8 EDGING

Provide continuous, staked, galvanized steel or PVC edging at the juncture of all planting beds or mulched areas and turf. Edging is not required around individual, isolated trees. Design and installation of edging shall avoid sharp edges that could present a danger people and pets.

7.9 IRRIGATION

Provide a drip irrigation system for the landscaping area in Phase Va under the Base Bid for phase. The irrigation system shall be a fully programmable and automated irrigation system. The irrigation shall be designed to conserve water and to minimize run-off. The irrigation shall provide full coverage of all areas and plant materials in the area. The irrigation system shall be set up into logical zones and shall utilize high quality commercial grade components.





SCALE : NOT TO SCALE

THESE DRAWINGS, SPECIFICATIONS AND DESIGNS ARE INSTRUMENTS OF PROFESSIONAL SERVICES AND AS SUCH ARE THE PROPERTY OF JORDAN, GILBERT & BAIN LANDSCAPE ARCHITECTS, INC.

PRINTS I	SSUED	REVISIONS									
DATE	DESCRIPTION	NO.	DATE	BY	DESCRIPTION						

COUNTY OF VENTURA

800 SOUTH VICTORIA VENTURA CA. 93006

RANCHO CAMULOS CULTURAL LANDSCAPE REPORT PIRU CALIFORNIA


PHOTO INDEX

JORDAN, GILBERT & BAIN

LANDSCAPE ARCHITECTS, INC. 3350 LOMA VISTA ROAD, VENTURA CA 93003 (805) 642-3641 FAX (805) 642-9614

PROJECT RODY-10
DRAWN: MG
CHECKED: MG
FILE NUMBER:04.48
DATE: 01/12/05

L-1



PRINTS ISSUED DATE DESCRIPTION NO. DATE BY DESCRIPTION

COUNTY OF VENTURA 800 SOUTH VICTORIA VENTURA CA. 93006

RANCHO CAMULOS CULTURAL LANDSCAPE REPORT PIRU CALIFORNIA

SIGN LOCATION MAP

JORDAN, GILBE LANDSCAPE ARCH 3350 LOMA VISTA ROAD, V (805) 642-3641 FAX (

RT & BAIN	PR
ITECTS, INC.	1 0
ENTURA CA 93003 (805) 642-9614	PRODU
	11 -

L-2

